

Certificate of Analysis

Company: 802 Craft Cannabis, LLC 596 Burr Pond Rd Sudbury, VT 05733 Customer ID: 200309-0 Grower License #: #50_2022_00000538	Sample ID: 2023 CBD Oil 600mg Lot: 0002-2023-06 Matrix: Oil Date Sampled: 10/16/2023 Date Received: 10/16/2023	Report Date: 10/20/2023 Date Analyzed: 10/19/2023 Analyst: 011 Report ID: C231016AF
--	---	--

Cannabinoid Summary

Cannabinoid Profile	LOQ (mg/g)	Concentration (mg/g)	Weight (%)
CBDVA	0.0005	<LOQ	<LOQ
CBDV	0.0012	0.16	0.02
CBDA	0.0008	<LOQ	<LOQ
CBGA	0.0008	<LOQ	<LOQ
CBG	0.0019	0.31	0.03
CBD	0.0019	19.72	1.97
THCV	0.0021	<LOQ	<LOQ
CBN	0.0013	<LOQ	<LOQ
Δ9-THC	0.0020	0.82	0.08
Δ8-THC	0.0019	<LOQ	<LOQ
THC-A	0.0034	<LOQ	<LOQ
CBC	0.0024	1.01	0.10
Total THC		0.82	0.08
Total CBD		19.72	1.97
Total Cannabinoids		22.01	2.20

0.08%

 Total THC

1.97%

 Total CBD

2.2%

 Total
Cannabinoids

0.08%

 Δ9-THC

N/A

 Percent
Moisture

1 : 24.1

 THC : CBD
Ratio



Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:

Total THC = (THCA x 0.877) + Δ9-THC Total CBD = (CBDA x 0.877) + CBD
 Ratio of Total CBD: Total THC Reagent Blanks: < LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement.

Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by: 
 Luke Emerson Mason (Laboratory Director, Bia Diagnostics)